

List of ADI and ARfD values of pesticides (incl. shipment value in Japan)

Please refer to the footnote about several marks in the table (×, ■, ▼, □, ♪, ¶, _).

These data are based on the situation in May 2010. Since the data have often changed, and are not perfectly picked up, please don't use these officially.

Common name	Japan			ADI (mg/kg/day)			ARfD (mg/kg/day)					
	Registere d *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
1-Naphthaleneacetic acid	○	○		0.15			0.05					
2-(1-Naphthyl)acetic acid	○						0.05					
2,4,5-T butoxyethanol ester							0.01					
2,4-PA-ammonium	○	○	5				0.0012					
2,4-PA-ethyl	○	○	1									
2,4-PA-isopropylamine	○	○	3									
Abamectin (=avermectin)												
Abscisic acid	×		0									
Acephate	○	○	76	0.03*	0.03		0.0012			0.1		0.005
Acequinocyl	○	○	9	0.022*		0.023	0.027		0.08			0.304
Acetamiprid	○	○	58	0.071		0.07	0.071	0.1	0.1		0.1	0.10
Acetic acid					□			□				
Acetochlor		○		■		0.011	0.02					
Acibenzolar-S-methyl	×	○		0.05		0.1	0.11		□		0.01	0.033
Acifluorfen		○		0.01	0		0.013					0.2
Aclonifen						0.01	0.013		□			0.2
Acrinathrin	○	○	5	0.024		0.016			0.03			
Alachlor	○	○	4	0.005*			0.01					
Alanycarb	○	○	3									
Aldicarb		○		0.001*	0.003		0.001			0.003	0.001	
Aldoxycarb		○		■								
Aldrin	×	○		0.0001	0.0001		0.00003					
Allethrin	○	○	1									
Aluminium phosphide	○		1			0.019	0.0004		0.032			
Ametryn		○		0.072		0.015	0.072					
Amicarbazone											0.1	
Amidosulfuron						0.2		□				
Aminoethoxyvinylglycin				■								
Aminopyralid		○		0.9	0.9	0.26	0.5		0.26	□		□
Amisulbrom	○	○	1	0.1		0.11			□			

*1: X cancelled, *2: ▼ not to be detected, *3: pesticide year 2008, *4: if both exist, lower one, *under discussion in Food Safety Commission and the figure is valid, ■ under discussion in FSC, □ no need to set up, ¶ impossible to set up, ♪ parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Amitraz	○	○	2	0.0025	0.01	0.01	0.0025		0.01	0.01		0.0125
Amitrole	x	▼		0.025*	0.002	0.001			□			
Amobam	○		0									
Anilazine		○			0.1		0.0004					
Anilofos	○	○	0	0.001								
Asulam	○	○	6				0.36					
Atrazine	○	○	5	0.02	0.02	0.005	0.018		0.025	0.1		0.1
Avermectin		○		■	0.003	0.0025	0.00012		0		0.005	0.00025
Azadirachtin A						0.09			0.2			
Azafenidin	x	○				0.0004			0.0004		0.016	
Azimsulfuron	○	○	1	0.095*		0.1			□		1.5	
Azinphos-methyl		○		0.014	0.03	0.005	0.0015		0.075	0.1	0.075	0.003
Azocyclotin		▼		■	0.003					0.02+	+ Public is □	
Azoxystrobin	○	○	36	0.18	0.2	0.1			□			0.18
Beflubutamid						0.02			□			
Benalaxyll				■	0.07	0.04			□	0.1+	+ Public is □	
Benalaxyll-M						0.04			□			
Bendiocarb		○		0.0035	0.004		0.005					
Benfluralin	○	○	1	■			0.3					
Benfuracarb	○	○	15			0.01						
Benfuresate	○	○	6	0.026	0.0307							
Benomyl	○	○	12	0.1	0.1	0.03	0.05	→	0.03		0.06	
Benoxacor				■			0.004					
Bensulfuron-methyl	○	○	61	■		0.2	0.20					
Bensultap	○	○	3									
Bentazone	○	○	29	0.09	0.1	0.1	0.03		0.25	□		
Benthiavalicarb (isopropyl ester)	○	○	1	0.069	0.1	0.1	0.099					
Benthiocarb	○	○										
Benzobicyclon	○	○	31	0.034								
Benzofenap	○	○	5		0.0015							
Benzoic acid						5			□			
Benzylaminopurine	○		1		0.05							
BHC	x			0.0125								
Bifenazate	○	○	8	0.01	0.01	0.01	□		□	□	0.3	

*1: X cancelled, *2: ▼ not to be detected, *3: pesticide year 2008, *4: if both exist, lower one, *under discussion in Food Safety Commission and the figure is valid, ■ under discussion in FSC, □ no need to set up, ¶ impossible to set up, +: parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Bifenox				0.071		0.3	0.15		0.5			
Bifenthrin	○	○	6	0.01	0.02	0.015	0.015		0.03	0.01		
Bilanafos	○	○	5									
Bioresmethrin				0.03	0.03							
Bispyribac	○	○	2	0.011								
Bitertanol	○	○	2	0.0015	0.01	0.003	0.002		0.1	□		
Boscalid (Nicobifen)	○	○	6	0.044	0.04	0.04	0.218	□	□	3		
Brodifacoum				■								
Bromacil	○	○	23			0.025	0.1					
Bromide ion					1				1			
Bromobutide	○	○	38	0.04								
Bromophos					0.04							
Bromophos-ethyl					0.003							
Bromopropylate					0.03							
Bromoxynil						0.01	0.015		0.04			
Bromoconazole						0.01	0.009					
BT	○		10									
Bupirimate						0.05			1			
Buprofezin	○	○	14	0.009	0.01	0.01	0.006		0.1	□	0.67	
Butachlor	○	○	10	0.01*			0.037					
Butamifos	○	○	4	0.008								
Butralin	○	○	3			0.003	□					
Butylamine				■								
Butylate				0.05			0.05				0.4	
Cadusafos	○	○	3	0.00025	0.0003	0.0004	0.00001		0.003		0.0002	
Cafenstrole	○	○	22	0.003								
Calcium chlorite	○		0									
Calcium formate	○		0									
Calcium peroxide	○		2									
Calcium phosphide						0.03			0.051			
Calcium sulfate	○		0									
Captafol				¶			0.002					
Captan	○	▼	11	0.125*	0.1	0.1	0.13		0.3	0.3‡	0.1	0.1
Carbam	○		4	0.005								

*Public is □

*1:X cancelled, *2:▼not to be detected, *3:pesticide year 2008, *4:if both exist, lower one, *under discussion in Food Safety Commission and the figure is valid, ■under discussion in FSC, □no need to set up, ¶impossible to set up, ‡:parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Carbaryl	○	○	4	0.0075	0.008	0.0075	□		0.04	0.2	0.01	0.01
Carbendazim	×	○			0.03	0.02	0.08					
Carbetamide		○				0.03						
Carbofuran		○		■	0.002	0.001	□					0.00024
Carbon dioxide	○		0			□						
Carbophenothion					0.0005		0.00013					
Carbosulfan	○	○	4	0.01	0.01	0.01	0.01					
Carboxin		○		0.008		0.01	0.008					
Carcium carbonate	○		1									
Carfentrazone-ethyl	○	○	2	0.03		0.03	0.03					5
Carpropamid	○	○	4	0.014								
Cartap	○	○	18		Delete							
Chinomethionat	○	○	1	0.006	0.006	0.006						
Chlorantraniliprole	○	○		0.26		1.58		□				
Chlorbenside					0.01							
Chlordane	×	○			0.0005		0.00006					
Chlorethoxyfos				0.00063			0.0006					
Chlorfenapyr	○	○	23	0.026		0.015	0.003					
Chlorgenson					0.01							
Chlorfenvinphos	×	○		0.0015	0.0005	0.001			0.01		0.02	
Chlorfluazuron	○	○	2	0.025								
Chloridazon	○	○	3			0.1	0.18	□				
Chlorimuron-ethyl		○		0.09			0.090					
Chlormequat	○	○	1	0.05	0.05	0.04			0.05	0.05	0.07	
Chlorobenzilate	×			0.02	0.02		0.02					
Chloroneb	○	○	1				0.013					
Chlorophacinone	○		0									
Chloropicrin	○		91		No ADI							
Chloropropham				0.1								
Chlorothalonil	○	○	27	0.018	0.02	0.015	0.02		0.6	0.6		
Chlorotoluron						0.04		□				
Chlorphthalim	○		1									
Chlorpropham		○			0.05	0.05	0.05		0.5	0.5		2.5
Chlorpyrifos	○	○	10	0.01*	0.01	0.01	0.0003		0.1	0.1	0.1	0.005

*1: X cancelled, *2: ▼ not to be detected, *3: pesticide year 2008, *4: if both exist, lower one, *under discussion in Food Safety Commission and the figure is valid, ■ under discussion in FSC, □ no need to set up, ¶ impossible to set up, ♦: parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Chlorpyrifos-methyl	○	○	0	0.01	0.01	0.01	0.001		0.1	□		0.01
Chlorsulfuron		○		0.04			0.02					
Chlorthiamid	○	○	5									
Cholin chloride (no ISO name)	○		0									
Chromafenozide	○	○	1	0.27								
Cinidon-ethyl		○		0.01		0.01			□			
Cinmethrin	×			0.042							0.3	
Clethodim	○	○	2	0.01	0.01	0.01	0.01		1	□		
Clodinafop (-propargyl)		○		■		0.003	0.0003		0.05			0.05
Clofencet		○		0.05								
Clofentezine	○	○	1	0.0086	0.02	0.02	0.013		□	□		
Clomazone		○				0.043	0.043		□			
Clomeprop	○	○	18	0.0062								
Clopyralid				■		0.15	0.5		□			
Cloquintocet-mexyl		○		■		0.04			1			
Cloransulam-methyl		○		0.05			0.1					
Clothianidin	○	○	44	0.097		0.097	0.0098		0.1		0.2	0.025
Copper	○		24		0.5	0.17			□			
Copper sulfate	○		2		0.5							
Copper Telephthalate				0.05	0.5							
CPA, 4-	○	○	7				0.006					
Crufomate					0.1							
Cumyluron	○	○	5	0.01								
Cyanamide	○		1			0.002			0.02			
Cyanate	○		1									
Cyanazine	○	○	3	0.0015			delete					
Cyanofos	○	○	3									
Cyazofamid	○	○	7	0.17		0.17	0.95		□			1.0
Cyclanilide				■		0.0075			0.015			
Cycloate				■		0.005	0.005					0.066
Cycloprothrin	○	○	2	■								
Cyclosulfamuron	○	○	11	0.03								
Cycloxydim				0.07	0.07	0.07			2			
Cyenopyrafen	○	○	0	0.05*								

*1: X cancelled, *2: ▼ not to be detected, *3: pesticide year 2008, *4: if both exist, lower one, *under discussion in Food Safety Commission and the figure is valid, ■ under discussion in FSC, □ no need to set up, ¶ impossible to set up, ♦: parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Cyenopyrafen				0.05								
Cyflufenamid	○	○	0	0.041		0.017			0.1			
Cyflumetofen	○	○	0	0.092								
Cyfluthrin(, β-)	○	○	4	0.02	0.04	0.003	0.008		0.02	0.04		
Cyhalofop-butyl	○	○	26	0.0024		0.003	0.01		□		0.03	
Cyhalothrin	○	○	5	0.0085	0.02	0.005	0.005			0.02		
Cyhalothrin, γ-						0.005	0.001		0.0075		0.005	
Cyhalothrin, λ-					0.02	0.005	0.001		0.0075	0.02		
Cyhexatin	×	▼		¶*	0.003		0.00075			0.02♦	♦Public is □	
Cymoxanil	○	○	4	0.016		0.03			0.04			
Cypermethrin	○	○	10	0.05	0.02	0.05	0.01		0.2	0.04	0.05	
Cypermethrin, α-					0.02	0.015			0.04	0.04		
Cypermethrin, ζ-					0.02	0.05			0.12	0.04		
Cyproconazole	○	○	3	0.0099		0.01	0.01		0.02			
Cyprodinil	○		5	0.027	0.03	0.03			□	□		
Cyromazine	○	○	2	0.018	0.06		0.0075			0.1		
D, 2,4-	○	○		0.01	0.01	0.05			0.15	□	0.8	
Daimuron	○	○	28	0.3								
Dalapon	○	○	1				0.03					
Daminozide	○	▼	3	¶	0.5	0.45	2		□			
Dazomet	○	○	0			0.015	0.0035		0.03			
DB, 2,4-		○				0.02	0.01		□			
DBEDC	○	○	4									
DCIP	○	○	1	0.13								
DDT	×	○		0.005	0.01				□			
Decanoylectanoylglycerol	○		1									
Decyl alcohol	○		3									
Deltamethrin				0.01	0.01	0.01			0.01	0.05		
Demeton-S-methyl					0.0003							
Desmedipham	○	○	1	0.0017		0.03			0.1			
Diafenthiuron	○	○	1	0.003								
Diatomaceous earth	○		0									
Diazinon	○	○	26	0.005*	0.005	0.005			0.03	0.03	0.01	
Dicamba	○	○	1	0.4		0.3			0.3			

*1:X cancelled, *2:▼not to be detected, *3:pesticide year 2008, *4:if both exist, lower one, *under discussion in Food Safety Commission and the figure is valid, ■under discussion in FSC, □no need to set up, ¶impossible to set up, ♦:parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Dichlobenil	○	○	21			0.01			□			
Dichlofenthion	○	○	0									
Dichlofluanid	×	○		0.3	0.3	0.025						
Dichlormid				0.016								
Dichlorobenzoic acid methylester,									1			
Dichloropropene, 1,3-	○	○	52	■			0.025					
Dichlorprop-P	○	○	3			0.06	0.005		0.5		0.2	
Dichlorvos	○		14	0.0033*	0.004	0.001	0.0005		0.005		0.1	0.1
Diclocymet	○	○	10	0.005								
Diclofop(-methyl)						0.001	0.002		0.1			
Diclomezine	○	○	1	0.02*								
Dicloran		○		■	0.01	0.01	0.025		□	□		
Diclosulam				0.05								
Dicofol	×	○		0.025*	0.002		0.0012		0.15			
Dicrotophos		○		0.000066			0.0001					
Dicyclanil		○			0.007							
Didecyl dimethylammonium						0.15						
Dieldrin	×	○		0.0001	0.0001		0.00005					
Dienochlor	○		2									
Diethofencarb	○	○	5	0.14		0.43			□			
Difenacoum						□			□			
Difenoconazole	○	○	14	0.0096	0.01	0.01	0.01		0.25	0.3		
Difenoquat				0.2								
Diflubenzuron	○	○	2	0.012	0.02	0.02	0.02		□	□		
Diflufenican	○	○	6	0.018		0.2			□			
Diflumetorim	○		1									
Dimethachlor						0.1			0.5			
Dimethametryn	○	○	15	■								
Dimethenamid	○	○	5	0.038		0.02	0.05		0.25			
Dimethenamid-p						0.07	0.02		0.25	0.5	0.25	
Dimethipin				0.02	0.02	0.02			0.2	0.2		
Dimethoate	○	○	5	0.02	0.002	0.001	0.0005		0.01	0.02		0.005
Dimethomorph	○	○	0	0.11	0.2	0.05			0.6	0.6		
Dimethylvinphos				0.004								

*1: X cancelled, *2: ▼ not to be detected, *3: pesticide year 2008, *4: if both exist, lower one, *under discussion in Food Safety Commission and the figure is valid, ■ under discussion in FSC, □ no need to set up, ¶ impossible to set up, ♦: parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Dimoxystrobin						0.004			0.004			
Diniconazole						0.007			0.05			
Dinocap				■	0.008	0.004	0.004		0.004	0.008*‡	‡:Public is □	
Dinotefuran	○	○	78	0.22				0.02				
Dioxathion	×	○			0.0015							
Diphenyl					0.125							
Diphenylamine / DPA		○			0.08		0.03			□		
Diquat	○	○	19	0.002	0.002	0.002	0.005		0.01			
Disulfoton	○		11	0.0003	0.0003		0.0003			0.0003	0.05	
Dithianon	○	○	5	0.01	0.01	0.01			0.12			
Dithiopyr	○	○	6	0.0036			0.0036					
Diuron	○	○	16			0.007	0.003		0.016			
Dodine					0.1	0.1	0.004		0.2	0.2		
Doramectin											0.02	
Edifenphos	○	○	2	0.0025	0.003							
Emamectin benzoate	○	○	43	0.0025								
Endosulfan (-A, -B, sulfate)	○	○	2	0.0057	0.006	0.006	0.006		0.015	0.02		
Endothal sodium	○	○	0				0.02					
Endrin	×	○		0.0002	0.0002		0.0003					
EPN	○	○	2	0.0014			0.00001					
Epoxiconazole		○				0.008			0.023			
EPTC	×	○		0.025			0.025					
Esfenvalerate	○			0.018	0.02	0.02	0.02		0.02	0.02		
Eprocarb	○	○	4	0.01								
Ethaboxam				■								
Ethalfluralin		○		■			0.04					
Ethephon	○	○	2	0.05	0.05	0.05	0.018		0.05	0.05		
Ethiofencarb	×	○		0.1	0.1							
Ethion	×	○		0.0005*	0.002		0.0005					
Ethiprole	○	○	7	0.005*								
Ethofumesate		○		■		0.07	0.4	□				
Ethoprophos	×	○		0.00025	0.0004	0.0004	0.0001		0.01	0.05		
Ethoxyfen		○		0.06	0.005							
Ethoxyquin		○			0.005	0.01	0.03		0.5	0.5		

*1: X cancelled, *2: ▼ not to be detected, *3: pesticide year 2008, *4: if both exist, lower one, *under discussion in Food Safety Commission and the figure is valid, ■ under discussion in FSC, □ no need to set up, ¶ impossible to set up, ‡:parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Ethoxysulfuron	○	○	1	0.038		0.04			□			
Ethychlorate	○	○	3	0.17*								
Ethylenethiourea / ETU					0.004	0.004	0.00008		0.05			
Etobenzanid	○	○	0	0.044*								
Etofenprox	○	○	45	0.031	0.03	0.03	0.05		1			
Etoxazole	○	○	10	0.04		0.04	0.046		□			
Etridiazole	○		1				0.016					0.15
Etrimfos	x	○		0.003	0.003							
Famoxadone	○	○	3	0.012	0.006	0.012	0.0014		0.2	0.6		
Fenamidone	○	○	0	0.028		0.03			□			
Fenamiphos				■	0.0008	0.0008	0.0001		0.0025	0.003		0.0012
Fenarimol	○	○	1	0.01	0.01	0.01	0.065		0.02			
Fenazaquin						0.005	0.05		0.1			0.1
Fenbuconazole	○	○	4	0.03	0.03	0.006	0.03			0.3		
Fenbutatin oxide	○		5	0.03	0.03		0.017					
Fenchlorphos					0.01							
Fenhexamide	○	○	2	0.17	0.2	0.2	0.17		□	□		
Fenitrothion	○	○	36	0.006	0.006	0.005	0.0013			0.04		0.13
fenobucarb	○		5	0.012		0.04			□			
Fenothiocarb	○	○	0		0.0075							
Fenoxanil	○	○	1	0.007	0.0069							
Fenoxyprop-P(-ethyl)	○			0.0028		0.01	0.0025		□			
Fenoxy carb	○					0.04	0.08					
Fenpiclonil						0.0125			□			
Fenpropathrin	○	○	10	0.026	0.03	0.03	0.025		0.04			
Fenpropidin						0.02			0.05			
Fenpropimorph				■	0.003	0.003	0.032		0.2	0.2		0.15
Fenpyroximate	○	○	5	0.0097	0.01	0.01	0.01		0.02	0.02		
Fensulfothion				0.0003	0.0003		0.00025					
Fenthion	○	○	5	0.0023	0.007	0.007	0.00007		0.01	0.01		0.0007
Fentin compounds				■	0.0005	0.0004			0.001			
Fentrazamide	○	○	28	0.0052								
Fenvalerate	○	○	2	0.018	0.02	0.0125	0.025					
Ferbam					0.003		0.015					0.014

*1: X cancelled, *2: ▼ not to be detected, *3: pesticide year 2008, *4: if both exist, lower one, *under discussion in Food Safety Commission and the figure is valid, ■ under discussion in FSC, □ no need to set up, ¶ impossible to set up, ♦: parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Ferimzone	○	○	10	0.019								
Ferric phosphate						0.8			□			
Ferric phosphate, Fe	○		1			7			□			
Fipronil	○	○	69	0.0002	0.0002	0.0002	0.0002		0.009	0.003	0.02	
Flazasulfuron	○		4	0.013*		0.013	0.013		□			0.5
Flocoumafen						□			□			
Flonicamid	○	○	4	0.073*								
Florasulam	○	○	2			0.05	0.05		□			
Fluacrypyrim	○	○	0	0.059								
Fluazifop	○	○	0	0.01								
Fluazifop (-P-butyl)	○	○	1	0.01		0.005	0.01		0.01			
Fluazinam	○	○	31	0.01*		0.01	0.011		0.07			0.5
Fluazolate									0.016			
Fluazuron					0.04							
Flubendiamide	○	○	23	0.017*			0.024					0.995
Flucetosulfuron	○	○	0	0.041								
Flucythrinate	○	○	3	0.0125	0.02							
Fludioxonil	○	○	6	0.33	0.4	0.37	0.03	□	□			
Flufenacet						0.005	0.004		0.017			
Flufenoxuron	○	○	13	0.037		0.01	0.0375		0.03			
Flufenpyr-ethyl				0.39								
Flumethrin					0.004							
Flumetsulam				■			1					
Flumioxazin	○	○	0	0.018*		0.009	0.02		0.05	0.03	0.03	
Fluopicolide	○	○	0	0.079*		0.08	0.2		0.18		not confirmed	
Fluoroimide	○	○	2	0.092								
Fluoxastrobin						0.015	0.015		0.3			
Flupropanate	○		2									
Flupyralsulfuron-methyl						0.035		□				
Fluquinconazole						0.005			0.02			
Fluridone				0.076			0.15					1.25
Flurochloridone						0.03			0.2			
Fluroxypyr						0.8	0.5	□				
Flurprimidol	○		1			0.003	0.02					

*1: X cancelled, *2: ▼ not to be detected, *3: pesticide year 2008, *4: if both exist, lower one, *under discussion in Food Safety Commission and the figure is valid, ■ under discussion in FSC, □ no need to set up, ¶ impossible to set up, ♦: parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Flurtamone						0.03			□			
Flusilazole				0.0014	0.007	0.002	0.0007		0.005	0.02		
Flusulfamide	○	○	17	0.001								
Fluthiacet-methyl	○	○	0	0.001			0.001					
Flutolanil	○	○	9	0.087	0.09	0.09	0.06		□	□		
Flutriafol						0.01			0.05			
Fluvalinate, T-	○	○	2	0.005		0.005	0.005		0.005			0.005
Folpet				0.1	0.1	0.1	0.009		0.2	0.2		0.1
Foramsulfuron						0.5	8.5		□			
Forchlорfenuron	○	○	3			0.05	0.07		1			1.0
Formetanate				0.00065		0.004	0.00065		0.005			0.00065
Fosetyl-Al	○	○	5	0.88		3	2.5		□			
Fosthiazate	○	○	30	0.001		0.004	0.00017		0.005			0.0004
Fthalide	○	○	19									
Fuberidazole						0.0036			0.08			
Furametpyr	○	○	6	0.007*								
Furilazole					■			0.0009				0.1
Gibberellins	○	○	11									
Glufosinate (ammonium)	○	○	56	0.021	0.02	0.021	0.02		0.021	□		0.063
Glufosinate-P				0.0091								
Glyphosate	○	○	220	0.75	1	0.3	2		□	□		
Glyphosate trimesium						0.2			0.25			
Guazatine acetates					No ADI	0.008			0.056			
Halosulfuron-methyl	○	○	6	0.1			0.1					0.5
Haloxyfop					0.0007	0.0007	0.00005		0.08	0.08		
Heptachlor					0.0001		0.0005					
Hexachlorocyclohexane, α- (α-HCH)	×				0.005	0.0025			0.006			
Hexachlorocyclohexane, β- (β-HCH)	×					0.0025			0.006			
Hexachlorocyclohexane, γ- (γ-HCH)	×				0.005		0.047					0.06
Hexaconazole	○	○	4	0.0047	0.005	0.005	0.02		0.025			
Hexazinone				0.049		0.1	0.05					
Hexythiazox	○	○	3	0.028	0.03	0.03	0.025		□			
Hydramethylnon					■			0.017				0.05
Hydrogen cyanide	○		4		0.05		0.02					

*1:X cancelled, *2:▼not to be detected, *3:pesticide year 2008, *4:if both exist, lower one, *under discussion in Food Safety Commission and the figure is valid, ■under discussion in FSC, □no need to set up, ¶impossible to set up, ♪:parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Hydrogenated Starch Hydrolysate	○		1									
Hydroxyatrazine					0.04					□		
Hydroxyquinoline, 8-						0.15			0.15			
Hymexazol	○		11			0.17			□			
IBA	○		1									
Imazalil		○		0.025	0.03	0.025	0.025		0.05 [‡]	0.05		0.5
Imazamethabenz-methyl		○		■			0.25					
Imazamox	○	○	4	3		9	0.125(Canada)		□			
Imazapic				0.27			0.50					
Imazapyr	○	○	3				2.5					
Imazaquin	○	○	0			0.25	0.25					
Imazethapyr		○		■			0.25					
Imazosulfuron	○	○	20	0.089		0.75			□			
imibenconazole	○	○	2	0.0098								
imicyafos		○		0.0005								
Imidacloprid	○	○	50	0.057*	0.06	0.06	0.057		0.4	0.4		0.14
Iminoctadine triacetate	○	○	19	0.0023*								
Iminoctadine trialbesilate	○	○	15	■								
Inabenfide	x	○		0.13								
Indanofan	○	○	5	0.0035*								
Indol-3-ylacetic acid						□			□			
Indoxacarb	○	○	9	0.0052*	0.01	0.006	0.02		0.125	0.1	0.1	0.02
Iodosulfuron						0.03			□			
Iodosulfuron-methyl (sodium)	○		2			0.03			□			
loxynil	○	○	4			0.005			0.04			
Ipcconazole	○		3				0.015					
Iprobenfos	○	○	2	0.035								
Iprodione	○	○	17	0.12	0.06	0.06	0.02		□			0.06
Iprovalicarb		○		■		0.015			□			
Isofenphos	x	○		0.0005	0.001		0.0005					
Isoprocarb	○	○	0	0.004								
Isoprothiolane	○	○	8	0.1*								
Isoproturon		○				0.015			□			
Istianil	○	○		0.028								

*1: X cancelled, *2: ▼ not to be detected, *3: pesticide year 2008, *4: if both exist, lower one, *under discussion in Food Safety Commission and the figure is valid, ■ under discussion in FSC, □ no need to set up, ¶ impossible to set up, ‡: parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Isouron	○	○	9		0.0342							
Isoxaben	○		1			0.06	0.05	□				
Isoxadifen-ethyl		○		■		0.03			0.52			
Isoxaflutole		○		0.005		0.02	0.002	□				
Isoxathion	○	○	10	0.003								
Ivermectin		○									0.01	
Karbutilate	○		6			0.005						
Kasugamycine	○	○	12				0.113					
Kresoxim-methyl	○	○	25	0.36	0.4	0.4	0.36	□	□			
Lactofen				0.0079			0.008					0.5
Laminarin					□	□		□				□
Lecithin					□			□				
Lenacil	○	○	4			0.14			□			
Lepimectin	○	○		0.02								
Levamisole hydrochloride	○		1									
Lime sulfur	○		5									
Lindane (γ -HCH)					0.005	0.005	0.0047		0.06	0.06		
Linuron	○	○	11			0.003	0.008		0.03			
Lufenuron	○	○	7	0.014		0.015		□				
Machine Oil	○		20									
Magnesium phosphide						0.022			0.038			
Malathion	○	○	6	0.03	0.3	0.3	0.07		2	2		0.14
Maldison											1.5	
Maleic hydrazide	○	○	0	0.25	0.3	0.25	0.25	□				
Mancozeb	○	○	38		0.03	0.05	0.05		0.6			1.3
Mandipropamid	○	○	0	0.05		0.05	0.05	□				
Maneb	○	○	5		0.03	0.05	0.05		0.2			0.02
MCPA-ethyl	○	○	0	0.002			0.0015					
MCPA-isopropyl	○	○	1			0.013			0.15			
MCPA-sodium	○	○	5			0.05	0.0044					0.4
MCPA-thioethyl	○		0									
MCPB-ethyl	○	○	9			0.01	0.01		0.05			
Mecarbam					0.002							
Mecoprop	○	○	5			0.01	0.001	□			0.5	

*1:X cancelled, *2:▼not to be detected, *3:pesticide year 2008, *4:if both exist, lower one, *under discussion in Food Safety Commission and the figure is valid, ■under discussion in FSC, □no need to set up, ¶impossible to set up, ♦:parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Mecoprop-P	○	○	1			0.01	0.01		0.5		0.5	0.5
Mefenacet	○	○	10	0.007	0.0036							
Mefenpyr-diethyl				0.028		0.03			□			
Mepanipyrim	○	○	2	0.024		0.02			0.3			
Mepiquat chloride	○	○	3			0.2 (0.3)	0.6		0.3			
Mepronil	○	○	3	0.05	0.05							
Mesosulfuron(-methyl)						□			□		2	
Mesotrione	○	○		0.003		0.01	0.007		0.02			
Mesulfenfos	○		1									
Metaflumizone	○	○	0	0.12		0.12			0.4			
Metalaxyll	○	○	17	0.022			0.074					
Metalaxyll-M	○		1	0.022	0.08	0.08	0.074		0.5	□		
Metaldehyde	○	○	6	0.022		0.025	0.1		0.3			0.75
Metalic silver	○		0									
Metam sodium						0.001	0.01		0.1			
Metamitron	○	○	0	0.011		0.025			0.4			
Metazachlor						0.032			□			
Metconazole	○	○	2	0.04		0.01	0.04		0.01			0.12
Methacrifos					0.006							
Methamidophos				0.0006	0.004	0.001	0.0003	0.003	0.003	0.01	0.003	0.003
Methidathion	○	○	21	0.001	0.001		0.0015			0.01	0.01	0.002
Methiocarb				0.024	0.02	0.013	0.005		0.013	0.02	0.03	
Methomyl	○	○	14	0.028	0.02	0.0025	0.008		0.0025	0.02		
Methoprene (racemic)					0.09		0.4			□		
Methoprene, S-					0.05					□		
Methoxychlor					0.1		0.005					
Methoxyfenozide	○	○	4	0.098	0.1	0.1			0.2	0.9		
Methyl bromide	○		15		1.0		0.02					0.014
Methyl eugenol	○		0									
Methyl iodide	○	○	0	0.005								
Methyl isothiocyanate (MITC)	○	○	4			0.004			0.03			
Methyl oxyrate				■								
Methylcyclopropene, -1				¶		0.0009			0.07			
Metiram					0.03	0.03	0.0004		□			0.01

*1:X cancelled, *2:▼not to be detected, *3:pesticide year 2008, *4:if both exist, lower one, *under discussion in Food Safety Commission and the figure is valid, ■under discussion in FSC, □no need to set up, ¶impossible to set up, ♦:parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Metolachlor, S-	○	○	6	0.097		0.1	0.1		□			
Metominostrobin	○	○	7	0.016								
Metosulam						0.01			0.25			
Metrafenone						0.25	0.25		□			
Metribuzin	○	○	7	0.0125		0.013	0.013		0.02			
Metsulfuron-methyl	○	○	1	■		0.22	0.25		□			
Mevinphos					0.0008		0.00025			0.003		0.001
Milbemectin	○	○	27	0.03		0.03			0.03			
Molinate	○	○	3	0.002	0.002	0.008	0.001		0.1			0.006
Monocrotophos					0.0006		0.00005			0.002		
Monolinuron						0.003			□			
Morantel tartrate	○		10									
Myclobutanil	○	○	7	0.024	0.03	0.025	0.025		0.3			
Naled	×	○		■			0.002					0.01
Naphthaleneacetamide	○	○	0									
Napropamide	○	○	1			0.1	0.12		□			
Nemadectin	○		2									
Nicosulfuron	○	○	4			2.0	1.25		□			
Nitenpyram	○	○	7	0.53								
Nitrapyrin				0.03			0.03					
Nonylphenol-copper sulfonate	○	○	1									
Norflurazon				■			0.015					0.1
Novaluron	○	○	1	0.011	0.01	0.1	0.011		□			
Nuarimol						0.025			0.1			
Oleate-Sodium	○		1									
Omethoate		○			delete	0.0003			0.002		0.003	
Orbencarb	○		1									
Organocupper	○		15									
Orysastrobin	○	○	17	0.052								
Oryzalin	○	○	1				0.12					
Oxadiargyl	○	○	1	0.008		0.008			□			
Oxadiazon	○	○	3	0.0036		0.036	0.0036					0.12
Oxadixyl		○				0.05	0.11		0.5			
Oxamyl	○	○	7	0.02	0.009	0.001	0.0002		0.001	0.009		0.001

*1: X cancelled, *2: ▼ not to be detected, *3: pesticide year 2008, *4: if both exist, lower one, *under discussion in Food Safety Commission and the figure is valid, ■ under discussion in FSC, □ no need to set up, ¶ impossible to set up, ♦: parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Oxasulfuron						0.013			□			
Oxaziclometone	○	○	27	0.0091								
Oxine-sulfate	○		0									
Oxolinic acid	○	○	12	0.021								
Oxoconazole fumarate	○	○	1									
Oxyberon	○		1									
Oxydemeton-methyl		○		■	0.0003	0.0003	0.00013		0.0015	0.002		0.008
Oxyfluifen		○		0.03			0.03					
Oxytetracycline	○	○	7	0.03			0.005					
Paclobutrazol	○	○	2	0.02	0.1	0.02	0.025		0.1			
Paraffin	○		0									
Paraquat	○	○	18	0.005	0.005	0.004	0.0045		0.005	0.006	0.004	
Parathion	x			0.005	0.004	0.0006	0.00003		0.005	0.01	0.01	0.0003
Parathion-methyl				0.015*	0.003	0.001	0.0002		0.03	0.03	0.03	0.0011
Pefurazoate	○		2									
Pelargonic acid						□			□			
Penconazole					0.03	0.03			□			
Pencycuron	○	○	12	0.053	0.018	0.02			□			
Pendimethalin	○	○	26	■		0.125	0.1		□			
Penoxsulam	○	○	1	0.05		0.05	0.147		□			
Penthiopyrad	○	○	0	0.081								
Pentozazone	○	○	27	0.23								
Permethrin	○	○	20	0.05	0.05		0.25			1.5		0.25
Pethoxamid						0.01			0.08			
Phenmedipham	○	○	11			0.03	0.24		□			
Phenothrin					0.07		0.007					0.03
Phenthroate	○	○	6	0.0015*	0.003							
Phenylphenol						0.4	0.39		□			
Phorate				■	0.0007		0.0005			0.003		0.0025
Phosalone	○	○	1	0.002	0.02		0.002			0.3		0.01
Phosmet	x	○			0.01	0.003	0.011		0.045	0.2		0.045
Phosphamidon					0.0005		0.0002					
Phosphine (Hydrogenphosphide)						0.011	0.0003		0.019			
Phosphorus hidride		○										

*1: X cancelled, *2: ▼ not to be detected, *3: pesticide year 2008, *4: if both exist, lower one, *under discussion in Food Safety Commission and the figure is valid, ■ under discussion in FSC, □ no need to set up, ¶ impossible to set up, ♦: parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Phoxim				■ 0.004								
Phthalide (=fthalide)												
Picloram				0.2		0.2	0.2		0.4			
Picolinafen				0.007		0.014			0.05			
Picoxystrobin						0.04			□			
Pinoxaden				■ 0.1		0.30			0.1		0.3	0.30
Piperonyl butoxide					0.2	0.2	0.16		□ □			6.3
Pirimicarb	x			0.018	0.02	0.035			0.1	0.1		
Pirimiphos-methyl	○ ○	2	0.03	0.03	0.004	0.0002			0.15	0.2		0.015
Polycarbamate	○	5	0.01									
Polyoxins	○ ○	6										
Potassium bicarbonate	○	1										
Pretilachlor	○ ○	35	0.018									
Probenazole	○ ○	66	0.02									
Prochloraz	○ ○	2	0.009	0.01	0.01	0.0075			0.1	0.1		
Procymidone	○ ○	8	0.035	0.1	0.025	0.035			0.035	0.1	0.03	
Prodiamine	○	8										
Profenofos	○ ○	1		0.03	0.005	0.00005			0.01	1		
Prohexadione calcium	○ ○	2	0.18		0.2	0.80			□		1.5	
Prohydrojasmon	○ ○	0	0.14									
Prometon						0.05						
Prometryn	○ ○	2				0.04						
Promisulfuron-methyl			0.1									
Propachlor			■			0.013						
Propamocarb	○	1	0.29	0.4	0.29	0.11		1	2			
Propanil					0.03	0.009			0.2			
Propaphos	x ○											
Propaquizafop					0.015				0.06			
Propargite	○		■ 0.01	0.01	0.01	0.04		□ □			0.08	
Propham	○ ▼	1	■ 0.02	0.02								
Propiconazole	○ ○	10	0.018	0.07	0.04	0.013		0.3	0.3			0.3
Propineb	○ ○	4	0.007	0.007	0.007			0.1	0.1	0.003		
Propoxur	x ○			0.02		0.005						
Propoxycarbazone(-sodium)			0.43		0.4	0.748		□				

*1:X cancelled, *2:▼not to be detected, *3:pesticide year 2008, *4:if both exist, lower one, *under discussion in Food Safety Commission and the figure is valid, ■under discussion in FSC, □no need to set up, ¶impossible to set up, ♦:parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Propylene Glycol	○		1									
Propylenethiourea / PTU					0.0003	0.0003			0.003	0.003		
Propyrisulfuron				0.011								
Propyzamide	○	○	5	0.019		0.085	0.08		□			
Proquinazid						0.01			0.3			
Prosulfocarb				0.019		0.005			0.1		0.4	
Prosulfuron						0.02	0.02		□			
Prothioconazole				0.011		0.05			0.2			
Prothioconazole, destho-metab.						0.01	0.001		0.01		0.002	
Prothifos	○	○	7	0.0015	0.0001							
Pymetrozine	○	○	1	0.013*		0.03	0.0038		0.1		0.01+	♦ Public is 0.125
Pyraclofos	○	○	3	0.001								
Pyraclonil	○	○	0	0.0044								
Pyraclostrobin	○	○	4	0.034	0.03	0.03			0.03	0.05		
Pyraflufen(-ethyl)	○	○	5	0.17		0.2			0.2		0.2	
Pyrasulfotole		○		0.01			0.01				0.2	
Pyrazolynate	○	○	7	0.006								
Pyrazophos					0.004	0.001			0.001			
Pyrazosulfuron-ethyl	○	○	24		0.043							
Pyrazoxyfen	○	○	1	0.0015								
Pyrethrin	○		0		0.04		0.044					0.2
Pyrethrum (Pyrethrins)	○		0	0.04	0.04	0.04	0.064		0.2	0.2	0.2	
Pyribencarb				■								
Pyributicarb	○	○	4	0.0088	0.0075							
Pyridaben	○	○	7	0.0081		0.008	0.005		0.01			
Pyridalyl	○	○	5	0.028								
Pyridate				0.16*	0.35	0.036	0.11		□			
Pyrifenoxy				0.1		0.09	0.01		0.5			
Pyrifluquazon				0.005								
Pyriftalid	○	○	3	0.0056								
Pyrimethanil				0.17	0.2	0.17	0.2		□	□	0.85	
Pyrimidifen	○	○	1	0.0015								
Pyriminobac-methyl	○	○	17	0.02			0.6					
Pyrimisulfan				0.35								

*1:X cancelled, *2:▼not to be detected, *3:pesticide year 2008, *4:if both exist, lower one, *under discussion in Food Safety Commission and the figure is valid, ■under discussion in FSC, □no need to set up, ¶impossible to set up, ♦:parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Pyriproxyfen	○	○	5	0.1	0.1	0.1	0.35		□	□		
Pyroquilon	○	○	25	■	0.015							
Pyroxsulam						1			□			
Quinclorac	×	○		0.29			0.38				2	
Quinmerac						0.08			0.3			
Quinoclamine	○	○	5			0.002			0.05			
Quinoxifen		○		0.2	0.2	0.2		□	□			
Quintozene		○			0.01	0.01	0.01		□			
Quizalofop						0.009			0.02			
Quizalofop-P						0.01			0.2			
Quizalofop-P-ethyl	○	○	2	0.009		0.01	0.009		1			
Quizalofop-P-tefuryl						0.013			0.2			
Rape oil	○		0									
Rimsulfuron	○	○	1			0.1	0.818		□			
Sethoxydim	○	○	6	0.14		0.014	0.14		0.18			1.8
Siduron	○		1		□							
Silafluofen	○	○	12	0.11								
Silicon dioxide						□			□			
Silthiofam						0.064			□			
Simazine	○	○	4	0.0013		0.005	0.018		0.025			0.3
Simecomazole.	○	○	3	0.0085								
Simetryn	○	○	6	0.011								
Sodium Chlorate	○		10	0.03								
Sodium fluoroacetate	○		0				0.00002					
Sodium hydrogencarbonate	○		1									
Sorbitan fatty acid ester	○		4									
Spinetoram				0.024								
Spinosad	○	○	22	0.024	0.02	0.024	0.0268		□	□		
Spirodiclofen	○	○	11	0.013*		0.015			0.1	□		
Spiromesifen	○	○	6	0.022		0.03		□				
Spirotetramat				0.12			0.05					1.0
Spiroxamine				■		0.025			0.1		0.2	
Starch	○		1									
Streptomycin	○	○	6	0.05		0.01	0.05					

*1: X cancelled, *2: ▼ not to be detected, *3: pesticide year 2008, *4: if both exist, lower one, *under discussion in Food Safety Commission and the figure is valid, ■ under discussion in FSC, □ no need to set up, ¶ impossible to set up, ♦ parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Sulcotrione						0.0004			□			
Sulfentrazone				■			0.14				0.1	0.25
Sulfosulfuron				■		0.24			□			
Sulfotep						0.001	0.0005					
Sulfur	○		2			□			□			
Sulfuryl fluoride	○	○	0	■	0.01	0.01	0.003		0.3	0.3	0.3	
T, 2,4,5-		▼		¶	0.03							
TCMTB				0.012			0.004					
Tebuconazole	○	○	15	0.029	0.03	0.03	0.03		0.1			
Tebufenozide	○	○	6	0.016	0.02	0.02	0.018		0.9	0.05		
Tebufenpyrad	○	○	2	0.0021		0.01			0.02			
Tebuthiuron	○	○	1				0.07					
Tecloftalam		○		0.058								
Tecnazene					0.02							
Teflubenzuron	○	○	6	0.01	0.01	0.01	0.02		0.5			
Tefluthrin	○	○	12	0.005		0.005	0.005		0.005			
Tefuryltrione				0.0008								
Tembotrione						0.001	0.0004		0.01			0.0008
Tepraloxydim		○	0	0.05		0.025			0.4		0.4	
Terbacil	○	○	1	0.026			0.013					
Terbufos				0.00016	0.0006		0.00005			0.002		0.0003
Terbutylazine						0.002	0.0004		0.008			
Tetrachlovinphos	✗	○					0.04					
Tetraconazole	○	○	4	0.004*		0.004	0.0073		0.05		0.2	0.225
Tetradifon	○	○	0			0.015			□			
Thallium sulfate	○		0									
Thenylchlor	○	○	2	0.068								
Thiabendazole	✗	○		0.1	0.1	0.1	0.1		□	0.3+		0.1
Thiacloprid	○	○	13	0.012	0.01	0.01	0.004		0.03	0.03	0.03	0.01
Thiadiazine	○		1									
Thiamethoxam	○	○	27	0.018		0.026			0.5			
Thiazopyr				0.0072			0.008					
Thidiazuron				0.039		0.04	0.0393		□			
Thifensulfuron(-methyl)	○	○	10			0.01	0.013		□			

*1: X cancelled, *2: ▼ not to be detected, *3: pesticide year 2008, *4: if both exist, lower one, *under discussion in Food Safety Commission and the figure is valid, ■ under discussion in FSC, □ no need to set up, ¶ impossible to set up, +: parturient

† Public is 1

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Thifluzamide	○	○	13	0.02		0.014						
Thiobencarb	○	○	3	0.009*		0.01	0.01		0.25			
Thiocyclam	○	○	0									
Thiodicarb	○	○	6	0.03	0.03	0.01	0.03			0.04		
Thiometon				0.0011	0.003							
Thiophanate-methyl	○	○	37	0.08	0.08	0.08	0.08		0.2	□	0.2	
Thiram	○		14	0.0084	0.01	0.01	0.015		0.6		0.0167	
Tiadinil	○	○	7	0.04								
Tolclofos-methyl	○	○	5	0.064	0.07	0.064	0.05		□			
Tolfenpyrad	○	○	12	0.0056								
Tolyfluanid				0.036	0.08	0.1	0.026		0.25	0.5		
Topramezone						0.004			0.005			
Tralkoxydim						0.005	0.005		0.3			
Tralomethrin	○	○	3	0.0075			0.0075					
Triadimefon	○	○	1	0.03	0.03		0.034			0.08	0.034	
Triadimenol				0.05	0.03	0.05	0.038		0.08	0.08	0.034	
Triasulfuron						0.01	0.01		□			
Triaziflam	○		4									
Triazole, 1,2,4-					0.2					0.3		
Triazophos				0.0012*	0.001					0.001		
Triazoxide						0.00005			0.015			
Tribenuron(-methyl)				0.0079		0.01	0.008		0.2			
Tribufos				0.002			0.001				0.01	
Trichlamid				0.0018								
Trichlopyr	○	○	3									
Trichlorfon	○	○	7	0.002	0.02	0.045	0.002				0.1	
Triclopyr-ethyl	○	○	0			0.03	0.05		0.3			
Triclopyr-triethylammonium	○	○	3				0.05					
Tricyclazole	○	○	20	0.03*								
Tridemorph							0.01				0.02	
Trifloxystrobin	○	○	3	0.05	0.04	0.1	0.038		□	□	6	2.5
Trifloxysulfuron	○	○	6									
Triflumizole	○	○	10	0.0185		0.015	0.015		0.1*♦	♦ Public is 0.25		
Triflumuron						0.007			□			

*1: X cancelled, *2: ▼ not to be detected, *3: pesticide year 2008, *4: if both exist, lower one, *under discussion in Food Safety Commission and the figure is valid, ■ under discussion in FSC, □ no need to set up, ¶ impossible to set up, ♦: parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Trifluralin	○	○	21	0.024*		0.015	0.024		□			1.0
Triflusulfuron-methyl		○		0.024		0.04	0.024		0.9			
Triforine	○	○	6	0.024	0.02		0.025					
Trinexapac-ethyl	○	○	4	0.0059		0.32			□			
Triticonazole				■		0.025			0.05			
Tritosulfuron						0.06			□			
Uniconazole	○	○	10	0.016			0.02					
Validamycin	○	○	13									
Vamidothion	×			0.008	0.008							
Vinclozolin					0.01	0.005	0.012		0.06			0.06
Warfarin	○		0			□	0.0003		□			
Wax	○		0									
XMC	×	○		0.0034								
Zinc phosphide	○		2			0.042			0.073			
Zinc sulfate	×		0									
Zineb					0.03		0.05					
Ziram	○		4		0.003	0.006	0.0012		0.08			0.005
Zoxamide				0.48	0.1	0.1	0.35		□	□		

*1: X cancelled, *2: ▼not to be detected, *3:pesticide year 2008, *4:if both exist, lower one, *under discussion in Food Safety Commission and the figure is valid, ■under discussion in FSC, □no need to set up, ¶impossible to set up, ♦:parturient