

## List of ADI and ARfD values of pesticides (incl. shipment value in Japan)

Please refer to the footnote about several marks in the table (×, ■, ▼, □, ✕, ¶, \_).

These data are based on the situation in May 2010. Since the data have often changed, and are not perfectly picked up, please don't use these officially.

	Japan			ADI (mg/kg/day)			ARfD (mg/kg/day)					
	Registere d *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Common name												
Glyphosate	○	○	220	0.75	1	0.3	2	□	□			
Chloropicrin	○		91	No ADI								
Dinotefuran	○	○	78	0.22			0.02					
Acephate	○	○	76	0.03*	0.03		0.0012			0.1		0.005
Fipronil	○	○	69	0.0002	0.0002	0.0002	0.0002		0.009	0.003	0.02	
Probenazole	○	○	66	0.02								
Bensulfuron-methyl	○	○	61	■		0.2	0.20					
Acetamiprid	○	○	58	0.071		0.07	0.071	0.1	0.1		0.1	0.10
Glufosinate (ammonium)	○	○	56	0.021	0.02	0.021	0.02		0.021*	□		0.063
Dichloropropene, 1,3-	○	○	52	■			0.025					
Imidacloprid	○	○	50	0.057*	0.06	0.06	0.057		0.4	0.4		0.14
Etofenprox	○	○	45	0.031	0.03	0.03	0.05		1			
Clothianidin	○	○	44	0.097		0.097	0.0098		0.1		0.2	0.025
Emamectin benzoate	○	○	43	0.0025								
Mancozeb	○	○	38		0.03	0.05	0.05		0.6			1.3
Bromobutide	○	○	38	0.04								
Thiophanate-methyl	○	○	37	0.08	0.08	0.08	0.08		0.2	□		0.2
Fenitrothion	○	○	36	0.006	0.006	0.005	0.0013			0.04		0.13
Azoxystrobin	○	○	36	0.18	0.2	0.1			□			0.18
Pretilachlor	○	○	35	0.018								
Benzobicyclon	○	○	31	0.034								
Fluazinam	○	○	31	0.01*		0.01	0.011		0.07			0.5
Fosthiazate	○	○	30	0.001		0.004	0.00017		0.005			0.0004
Bentazone	○	○	29	0.09	0.1	0.1	0.03		0.25	□		
Fentrazamide	○	○	28	0.0052								
Daimuron	○	○	28	0.3								
Chlorothalonil	○	○	27	0.018	0.02	0.015	0.02		0.6	0.6		
Oxaziclofone	○	○	27	0.0091								
Thiamethoxam	○	○	27	0.018		0.026			0.5			
Milbemectin	○	○	27	0.03		0.03			0.03			

\*1: X cancelled, \*2: ▼ not to be detected, \*3: pesticide year 2008, \*4: if both exist, lower one, \*under discussion in Food Safety Commission and the figure is valid, ■ under discussion in FSC, □ no need to set up, ¶ impossible to set up, \*+: parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Pentoxazone	○	○	27	0.23								
Pendimethalin	○	○	26	■		0.125	0.1	□				
Diazinon	○	○	26	0.005*	0.005	0.005			0.03	0.03	0.01	
Cyhalofop-butyl	○	○	26	0.0024		0.003	0.01	□			0.03	
Pyroquilon	○	○	25	■	0.015							
Kresoxim-methyl	○	○	25	0.36	0.4	0.4	0.36	□	□			
Pyrazosulfuron-ethyl	○	○	24		0.043							
Copper	○		24		0.5	0.17		□				
Chlorfenapyr	○	○	23	0.026		0.015	0.003					
Bromacil	○	○	23			0.025	0.1					
Flubendiamide	○	○	23	0.017*			0.024					0.995
Cafenstrole	○	○	22	0.003								
Spinosad	○	○	22	0.024	0.02	0.024	0.0268	□	□			
Dichlobenil	○	○	21			0.01		□				
Trifluralin	○	○	21	0.024*		0.015	0.024	□				1.0
Methidathion	○	○	21	0.001	0.001		0.0015			0.01	0.01	0.002
Tricyclazole	○	○	20	0.03*								
Permethrin	○	○	20	0.05	0.05		0.25			1.5		0.25
Machine Oil	○		20									
Imazosulfuron	○	○	20	0.089		0.75		□				
Diquat	○	○	19	0.002	0.002	0.002	0.005		0.01			
Iminoctadine triacetate	○	○	19	0.0023*								
Fthalide	○	○	19									
Cartap	○	○	18		Delete							
Clomeprop	○	○	18	0.0062								
Paraquat	○	○	18	0.005	0.005	0.004	0.0045		0.005	0.006	0.004	
Flusulfamide	○	○	17	0.001								
Pyriminobac-methyl	○	○	17	0.02			0.6					
Orysastrobin	○	○	17	0.052								
Iprodione	○	○	17	0.12	0.06	0.06	0.02	□			0.06	
Metalaxyl	○	○	17	0.022			0.074					
Diuron	○	○	16			0.007	0.003		0.016			
Methyl bromide	○		15		1.0		0.02					0.014
Organocopper	○		15									

\*1:X cancelled, \*2:▼not to be detected, \*3:pesticide year 2008, \*4:if both exist, lower one, \*under discussion in Food Safety Commission and the figure is valid, ■under discussion in FSC, □no need to set up, ¶impossible to set up, ♦:parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Dimethametryn	○	○	15	■								
Iminoctadine trialbesilate	○	○	15	■								
Tebuconazole	○	○	15	0.029	0.03	0.03	0.03		0.1			
Benfuracarb	○	○	15			0.01						
Dichlorvos	○		14	0.0033*	0.004	0.001	0.0005		0.005		0.1	0.1
Thiram	○		14	0.0084	0.01	0.01	0.015		0.6			0.0167
Buprofezin	○	○	14	0.009	0.01	0.01	0.006		0.1	□		0.67
Difenoconazole	○	○	14	0.0096	0.01	0.01	0.01		0.25	0.3		
Methomyl	○	○	14	0.028	0.02	0.0025	0.008		0.0025	0.02		
Thifluzamide	○	○	13	0.02		0.014						
Flufenoxuron	○	○	13	0.037		0.01	0.0375		0.03			
Thiacloprid	○	○	13	0.012	0.01	0.01	0.004		0.03	0.03	0.03	0.01
Validamycin	○	○	13									
Oxolinic acid	○	○	12	0.021								
Benomyl	○	○	12	0.1	0.1	0.03	0.05	→	0.03		0.06	
Silafluofen	○	○	12	0.11								
Tefluthrin	○	○	12	0.005		0.005	0.005		0.005			
Pencycuron	○	○	12	0.053	0.018	0.02			□			
Kasugamycine	○	○	12				0.113					
Tolfenpyrad	○	○	12	0.0056								
Cyclosulfamuron	○	○	11	0.03								
Spirodiclofen	○	○	11	0.013*		0.015			0.1	□		
Linuron	○	○	11			0.003	0.008		0.03			
Disulfoton	○		11	0.0003	0.0003		0.0003			0.0003	0.05	
Hymexazol	○		11			0.17			□			
Phenmedipham	○	○	11			0.03	0.24		□			
Gibberellins	○	○	11									
Captan	○	▼	11	0.125*	0.1	0.1	0.13		0.3	0.3+	0.1	0.1
Chlorpyrifos	○	○	10	0.01*	0.01	0.01	0.0003		0.1	0.1	0.1	0.005
Isoxathion	○	○	10	0.003								
Morantel tartrate	○		10									
BT	○		10									
Uniconazole	○	○	10	0.016			0.02					
Triflumizole	○	○	10	0.0185		0.015	0.015		0.1+	♦ Public is 0.25		

\*1:X cancelled, \*2:▼not to be detected, \*3:pesticide year 2008, \*4:if both exist, lower one, \*under discussion in Food Safety Commission and the figure is valid, ■ under discussion in FSC, □ no need to set up, ¶ impossible to set up, ♦:parturient

♦ Public is □

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Fenpropothrin	○	○	10	0.026	0.03	0.03	0.025		0.04			
Propiconazole	○	○	10	0.018	0.07	0.04	0.013		0.3	0.3		0.3
Ferimzone	○	○	10	0.019								
Diclocymet	○	○	10	0.005								
Cypermethrin	○	○	10	0.05	0.02	0.05	0.01		0.2	0.04	0.05	
Butachlor	○	○	10	0.01*			0.037					
Sodium Chlorate	○		10	0.03								
Mefenacet	○	○	10	0.007	0.0036							
Etoxazole	○	○	10	0.04		0.04	0.046	□				
Thifensulfuron(-methyl)	○	○	10			0.01	0.013	□				
Acequinocyl	○	○	9	0.022*		0.023	0.027		0.08			0.304
Flutolanil	○	○	9	0.087	0.09	0.09	0.06	□	□			
MCPB-ethyl	○	○	9			0.01	0.01		0.05			
Isouron	○	○	9		0.0342							
Indoxacarb	○	○	9	0.0052*	0.01	0.006	0.02		0.125	0.1	0.1	0.02
Procymidone	○	○	8	0.035	0.1	0.025	0.035		0.035	0.1	0.03	
Bifenazate	○	○	8	0.01	0.01	0.01	□	□	□	□	0.3	
Isoprothiolane	○	○	8	0.1*								
Prodiamine	○		8									
Ethiprole	○	○	7	0.005*								
Pyridaben	○	○	7	0.0081		0.008	0.005		0.01			
Tiadinil	○	○	7	0.04								
Pyrazolynate	○	○	7	0.006								
Lufenuron	○	○	7	0.014		0.015		□				
Myclobutanil	○	○	7	0.024	0.03	0.025	0.025		0.3			
CPA, 4-	○	○	7				0.006					
Nitenpyram	○	○	7	0.53								
Oxamyl	○	○	7	0.02	0.009	0.001	0.0002		0.001	0.009		0.001
Trichlorfon	○	○	7	0.002	0.02	0.045	0.002					0.1
Oxytetracycline	○	○	7	0.03			0.005					
Cyazofamid	○	○	7	0.17		0.17	0.95	□				1.0
Metominostrobin	○	○	7	0.016								
Prothifos	○	○	7	0.0015	0.0001							
Metribuzin	○	○	7	0.0125		0.013	0.013		0.02			

\*1: X cancelled, \*2: ▼ not to be detected, \*3: pesticide year 2008, \*4: if both exist, lower one, \*under discussion in Food Safety Commission and the figure is valid, ■ under discussion in FSC, □ no need to set up, ¶ impossible to set up, ♦: parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Fludioxonil	○	○	6	0.33	0.4	0.37	0.03		□	□		
Simetryn	○	○	6	0.011								
Spiromesifen	○	○	6	0.022		0.03			□			
Thiodicarb	○	○	6	0.03	0.03	0.01	0.03			0.04		
Tebufenozide	○	○	6	0.016	0.02	0.02	0.018		0.9	0.05		
Benfuresate	○	○	6	0.026	0.0307							
Asulam	○	○	6				0.36					
Bifenthrin	○	○	6	0.01	0.02	0.015	0.015		0.03	0.01		
Boscalid (Nicobifen)	○	○	6	0.044	0.04	0.04	0.218		□	□	3	
Malathion	○	○	6	0.03	0.3	0.3	0.07		2	2		0.14
Sethoxydim	○	○	6	0.14		0.014	0.14		0.18			1.8
Furametpyr	○	○	6	0.007*								
Metolachlor, S-	○	○	6	0.097		0.1	0.1		□			
Karbutilate	○		6			0.005						
Streptomycin	○	○	6	0.05		0.01	0.05					
Metaldehyde	○	○	6	0.022		0.025	0.1		0.3			0.75
Triforine	○	○	6	0.024	0.02		0.025					
Polyoxins	○	○	6									
Trifloxysulfuron	○	○	6									
Dithiopyr	○	○	6	0.0036			0.0036					
Teflubenzuron	○	○	6	0.01	0.01	0.01	0.02		0.5			
Halosulfuron-methyl	○	○	6	0.1			0.1					0.5
Phenthroate	○	○	6	0.0015*	0.003							
Diflufenican	○	○	6	0.018		0.2			□			
Pyraflufen(-ethyl)	○	○	5	0.17		0.2			0.2		0.2	
Pyridalyl	○	○	5	0.028								
Pyriproxyfen	○	○	5	0.1	0.1	0.1	0.35		□	□		
Tolclofos-methyl	○	○	5	0.064	0.07	0.064	0.05		□			
Fenpyroximate	○	○	5	0.0097	0.01	0.01	0.01		0.02	0.02		
Benzofenap	○	○	5		0.0015							
Lime sulfur	○		5									
2,4-PA-ammonium	○	○	5				0.0012					
Mecoprop	○	○	5			0.01	0.001		□		0.5	
Dithianon	○	○	5	0.01	0.01	0.01			0.12			

\*1:X cancelled, \*2:▼not to be detected, \*3:pesticide year 2008, \*4:if both exist, lower one, \*under discussion in Food Safety Commission and the figure is valid, ■under discussion in FSC, □no need to set up, ¶impossible to set up, ♦:parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
MCPA-sodium	○	○	5			0.05	0.0044					0.4
Fenthion	○	○	5	0.0023	0.007	0.007	0.00007		0.01	0.01		0.0007
Polycarbamate	○		5	0.01								
Maneb	○	○	5		0.03	0.05	0.05		0.2			0.02
Propyzamide	○	○	5	0.019		0.085	0.08		□			
Fosetyl-Al	○	○	5	0.88		3	2.5		□			
Acrinathrin	○	○	5	0.024		0.016			0.03			
Cumyluron	○	○	5	0.01								
Quinoclamine	○	○	5			0.002			0.05			
Indanofan	○	○	5	0.0035*								
Diethofencarb	○	○	5	0.14		0.43			□			
Cyprodinil	○		5	0.027	0.03	0.03			□	□		
Dimethoate	○	○	5	0.02	0.002	0.001	0.0005		0.01	0.02		0.005
fenobucarb	○		5	0.012		0.04			□			
Chlorthiamid	○	○	5									
Atrazine	○	○	5	0.02	0.02	0.005	0.018		0.025	0.1		0.1
Cyhalothrin	○	○	5	0.0085	0.02	0.005	0.005			0.02		
Dimethenamid	○	○	5	0.038		0.02	0.05		0.25			
Bilanafos	○	○	5									
Fenbutatin oxide	○		5	0.03	0.03		0.017					
Cymoxanil	○	○	4	0.016		0.03			0.04			
Carbaryl	○	○	4	0.0075	0.008	0.0075	□		0.04	0.2	0.01	0.01
Carbosulfan	○	○	4	0.01	0.01	0.01	0.01					
Sorbitan fatty acid ester	○		4									
Nicosulfuron	○	○	4			2.0	1.25		□			
Lenacil	○	○	4			0.14			□			
Alachlor	○	○	4	0.005*			0.01					
Tetraconazole	○	○	4	0.004*		0.004	0.0073		0.05		0.2	0.225
Flonicamid	○	○	4	0.073*								
Cyfluthrin(, β-)	○	○	4	0.02	0.04	0.003	0.008		0.02	0.04		
Trinexapac-ethyl	○	○	4	0.0059		0.32			□			
Pyributicarb	○	○	4	0.0088	0.0075							
Imazamox	○	○	4	3		9	0.125(Canada)		□			
Ziram	○		4		0.003	0.006	0.0012		0.08			0.005

\*1:X cancelled, \*2:▼not to be detected, \*3:pesticide year 2008, \*4:if both exist, lower one, \*under discussion in Food Safety Commission and the figure is valid, ■under discussion in FSC, □no need to set up, ¶impossible to set up, ♦:parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Pyraclostrobin	○	○	4	0.034	0.03	0.03			0.03	0.05		
Fenbuconazole	○	○	4	0.03	0.03	0.006	0.03		0.3			
Flazasulfuron	○		4	0.013*		0.013	0.013		□			0.5
Ioxynil	○	○	4			0.005			0.04			
Propineb	○	○	4	0.007	0.007	0.007			0.1	0.1	0.003	
Methyl isothiocyanate (MITC)	○	○	4			0.004			0.03			
DBEDC	○	○	4									
Eprocarb	○	○	4	0.01								
Carpropamid	○	○	4	0.014								
Triaziflam	○		4									
Hexaconazole	○	○	4	0.0047	0.005	0.005	0.02		0.025			
Simazine	○	○	4	0.0013		0.005	0.018		0.025			0.3
Carbam	○		4	0.005								
Butamifos	○	○	4	0.008								
Methoxyfenozide	○	○	4	0.098	0.1	0.1			0.2	0.9		
Hydrogen cyanide	○		4		0.05		0.02					
Chloridazon	○	○	3			0.1	0.18		□			
Trifloxystrobin	○	○	3	0.05	0.04	0.1	0.038		□	□	6	2.5
Molinate	○	○	3	0.002	0.002	0.008	0.001		0.1			0.006
Alanycarb	○	○	3									
Cadusafos	○	○	3	0.00025	0.0003	0.0004	0.00001		0.003			0.0002
Famoxadone	○	○	3	0.012	0.006	0.012	0.0014		0.2	0.6		
Flucythrinate	○	○	3	0.0125	0.02							
Forchlorfenuron	○	○	3			0.05	0.07		1			1.0
Mepronil	○	○	3	0.05	0.05							
Cyproconazole	○	○	3	0.0099		0.01	0.01		0.02			
Decyl alcohol	○		3									
Cyanofos	○	○	3									
Ipconazole	○		3				0.015					
Imazapyr	○	○	3				2.5					
Simecomazole.	○	○	3	0.0085								
Daminozide	○	▼	3	¶	0.5	0.45	2	□				
Thiobencarb	○	○	3	0.009*		0.01	0.01		0.25			
Talomethrin	○	○	3	0.0075			0.0075					

\*1:X cancelled, \*2:▼not to be detected, \*3:pesticide year 2008, \*4:if both exist, lower one, \*under discussion in Food Safety Commission and the figure is valid, ■under discussion in FSC, □no need to set up, ¶impossible to set up, ♦:parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Trichlopyr	○	○	3									
Mepiquat chloride	○	○	3			0.2 (0.3)	0.6		0.3			
Cyanazine	○	○	3	0.0015			delete					
Pyriftalid	○	○	3	0.0056								
2,4-PA-isopropylamine	○	○	3									
Ethychlorzate	○	○	3	0.17*								
Dichlorprop-P	○	○	3			0.06	0.005		0.5		0.2	
Triclopyr-triethylammonium	○	○	3				0.05					
Oxadiazon	○	○	3	0.0036		0.036	0.0036					0.12
Pyraclofos	○	○	3	0.001								
Butralin	○	○	3			0.003	□					
Hexythiazox	○	○	3	0.028	0.03	0.03	0.025		□			
Bensultap	○	○	3									
Chlorfluazuron	○	○	2	0.025								
Tebufenpyrad	○	○	2	0.0021		0.01			0.02			
Prochloraz	○	○	2	0.009	0.01	0.01	0.0075		0.1	0.1		
Pefurazoate	○		2									
Flupropanate	○		2									
Pirimiphos-methyl	○	○	2	0.03	0.03	0.004	0.0002		0.15	0.2		0.015
Fluvalinate, τ-	○	○	2	0.005		0.005	0.005		0.005			0.005
Calcium peroxide	○		2									
Clethodim	○	○	2	0.01	0.01	0.01	0.01		1	□		
Diflubenzuron	○	○	2	0.012	0.02	0.02	0.02		□	□		
Mepanipyrim	○	○	2	0.024		0.02			0.3			
Imibenconazole	○	○	2	0.0098								
Bitertanol	○	○	2	0.0015	0.01	0.003	0.002		0.1	□		
Prometryn	○	○	2				0.04					
Sulfur	○		2			□			□			
Copper sulfate	○		2		0.5							
Ethepron	○	○	2	0.05	0.05	0.05	0.018		0.05	0.05		
Cycloprothrin	○	○	2	■								
Fenvalerate	○	○	2	0.018	0.02	0.0125	0.025					
Prohexadione calcium	○	○	2	0.18		0.2	0.80		□		1.5	
Endosulfan (-A, -B, sulfate)	○	○	2	0.0057	0.006	0.006	0.006		0.015	0.02		

\*1:X cancelled, \*2:▼not to be detected, \*3:pesticide year 2008, \*4:if both exist, lower one, \*under discussion in Food Safety Commission and the figure is valid, ■under discussion in FSC, □no need to set up, ¶impossible to set up, ♦:parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Edifenphos	○	○	2	0.0025	0.003							
EPN	○	○	2	0.0014			0.00001					
Carfentrazone-ethyl	○	○	2	0.03		0.03	0.03					5
Cyromazine	○	○	2	0.018	0.06		0.0075			0.1		
Bispyribac	○	○	2	0.011								
Iodosulfuron-methyl (sodium)	○		2			0.03			□			
Florasulam	○	○	2			0.05	0.05		□			
Amitraz	○	○	2	0.0025	0.01	0.01	0.0025		0.01	0.01		0.0125
Quizalofop-P-ethyl	○	○	2	0.009		0.01	0.009		1			
Dienochlor	○		2									
Metconazole	○	○	2	0.04		0.01	0.04		0.01			0.12
Zinc phosphide	○		2			0.042			0.073			
Iprobenfos	○	○	2	0.035								
Thenylchlor	○	○	2	0.068								
Nemadectin	○		2									
Paclobutrazol	○	○	2	0.02	0.1	0.02	0.025		0.1			
Fenhexamide	○	○	2	0.17	0.2	0.2	0.17		□	□		
Fluoroimide	○	○	2	0.092								
Isoxaben	○		1			0.06	0.05		□			
Diafenthiuron	○	○	1	0.003								
Carcium carbonate	○		1									
Desmedipham	○	○	1	0.0017		0.03			0.1			
Triadimefon	○	○	1	0.03	0.03		0.034			0.08		0.034
Napropamide	○	○	1			0.1	0.12		□			
Benzylaminopurine	○		1		0.05							
Rimsulfuron	○	○	1			0.1	0.818		□			
Etridiazole	○		1				0.016					0.15
Oxadiargyl	○	○	1	0.008		0.008			□			
Starch	○		1									
Profenofos	○	○	1		0.03	0.005	0.00005		0.01	1		
Benfluralin	○	○	1	■			0.3					
Decanoyleoctanoylglycerol	○		1									
DCIP	○	○	1	0.13								
Chinomethionat	○	○	1	0.006	0.006	0.006						

\*1: X cancelled, \*2: ▼ not to be detected, \*3: pesticide year 2008, \*4: if both exist, lower one, \*under discussion in Food Safety Commission and the figure is valid, ■ under discussion in FSC, □ no need to set up, ¶ impossible to set up, ♦: parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Siduron	○		1		□							
Terbacil	○	○	1	0.026			0.013					
Pymetrozine	○	○	1	0.013*		0.03	0.0038		0.1			0.01* <sup>‡</sup>
Benthiavalicarb (isopropyl ester)	○	○	1	0.069	0.1	0.1	0.099					
Metsulfuron-methyl	○	○	1	■		0.22	0.25	□				
Dicamba	○	○	1	0.4		0.3			0.3			
Ethoxysulfuron	○	○	1	0.038		0.04		□				
Chromafenozide	○	○	1	0.27								
Tebuthiuron	○	○	1				0.07					
Fenarimol	○	○	1	0.01	0.01	0.01	0.065		0.02			
Fluazifop (-P-butyl)	○	○	1	0.01		0.005	0.01		0.01			
Propham	○	▼	1	¶	¶		0.02					
Allethrin	○	○	1									
IBA	○		1									
Oxyberon	○		1									
Oxoconazole fumarate	○	○	1									
Penoxsulam	○	○	1	0.05		0.05	0.147	□				
Metalaxy-M	○		1	0.022	0.08	0.08	0.074	0.5	□			
MCPA-isopropyl	○	○	1			0.013			0.15			
Chlormequat	○	○	1	0.05	0.05	0.04		0.05	0.05	0.07		
Phosalone	○	○	1	0.002	0.02		0.002		0.3		0.01	
Amisulbrom	○	○	1	0.1		0.11		□				
Oryzalin	○	○	1				0.12					
Diclomezine	○	○	1	0.02*								
Thiadiazine	○		1									
Nonylphenol-copper sulfonate	○	○	1									
Pyrazoxyfen	○	○	1	0.0015								
Mecoprop-P	○	○	1			0.01	0.01	0.5	0.5	0.5	0.5	
Potassium bicarbonate	○		1									
Ferric phosphate, Fe	○		1			7		□				
Azimsulfuron	○	○	1	0.095*		0.1		□		1.5		
Chlorphthalim	○		1									
Cyanate	○		1									
Propamocarb	○		1	0.29	0.4	0.29	0.11	1	2			

\*1:X cancelled, \*2:▼not to be detected, \*3:pesticide year 2008, \*4:if both exist, lower one, \*under discussion in Food Safety Commission and the figure is valid, ■under discussion in FSC, □no need to set up, ¶impossible to set up, ♪:parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Mesulfenfos	○		1									
Aluminium phosphide	○		1			0.019	0.0004		0.032			
Sodium hydrogencarbonate	○		1									
2,4-PA-ethyl	○	○	1									
Orbencarb	○		1									
Oleate-Sodium	○		1									
Clofentezine	○	○	1	0.0086	0.02	0.02	0.013	□	□			
Chloroneb	○	○	1				0.013					
Cyanamide	○		1			0.002			0.02			
Novaluron	○	○	1	0.011	0.01	0.1	0.011		□			
Levamisole hydrochloride	○		1									
Hydrogenated Starch Hydrolysate	○		1									
Dalapon	○	○	1				0.03					
Diflumetorim	○		1									
Pyrimidifen	○	○	1	0.0015								
Fenoxanil	○	○	1	0.007	0.0069							
Flurprimidol	○		1			0.003	0.02					
Propylene Glycol	○		1									
Dichlofenthion	○	○	0									
MCPCA-ethyl	○	○	0	0.002			0.0015					
Isoprocarb	○	○	0	0.004								
Tetradifon	○	○	0			0.015		□				
Tepraloxydim		○	0	0.05		0.025			0.4		0.4	
Triclopyr-ethyl	○	○	0			0.03	0.05		0.3			
Imazaquin	○	○	0			0.25	0.25					
Warfarin	○		0		□	0.0003		□				
Cholin chloride (no ISO name)	○		0									
Dimethomorph	○	○	0	0.11	0.2	0.05			0.6	0.6		
Thiocyclam	○	○	0									
Methyl eugenol	○		0									
Calcium chlorite	○		0									
Calcium sulfate	○		0									
Etobenzanid	○	○	0	0.044*								
Endothal sodium	○	○	0			0.02						

\*1: X cancelled, \*2: ▼ not to be detected, \*3: pesticide year 2008, \*4: if both exist, lower one, \*under discussion in Food Safety Commission and the figure is valid, ■ under discussion in FSC, □ no need to set up, ¶ impossible to set up, ♦: parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Thallium sulfate	○		0									
Fenothiocarb	○	○	0		0.0075							
Pyrethrum (Pyrethrins)	○		0	0.04	0.04	0.04	0.064		0.2	0.2	0.2	
Naphthaleneacetamide	○	○	0									
Amobam	○		0									
Calcium formate	○		0									
Chlorpyrifos-methyl	○	○	0	0.01	0.01	0.01	0.001		0.1	□		0.01
Diatomaceous earth	○		0									
Cyflufenamid	○	○	0	0.041		0.017			0.1			
Rape oil	○		0									
Paraffin	○		0									
Pyraclonil	○	○	0	0.0044								
Pyrethrin	○		0		0.04		0.044					0.2
Flumioxazin	○	○	0	0.018*		0.009	0.02		0.05		0.03	0.03
Prohydrojasmon	○	○	0	0.14								
Sodium fluoroacetate	○		0				0.00002					
Wax	○		0									
Metalic silver	○		0									
Zinc sulfate	×		0									
MCPA-thioethyl	○		0									
Anilofos	○	○	0	0.001								
Abscisic acid	×		0									
Oxine-sulfate	○		0									
Chlorophacinone	○		0									
Cyenopyrafen	○	○	0	0.05*								
Cyflumetofen	○	○	0	0.092								
Dazomet	○	○	0			0.015	0.0035		0.03			
Fenamidone	○	○	0	0.028		0.03			□			
Sulfuryl fluoride	○	○	0	■	0.01	0.01	0.003		0.3	0.3	0.3	
Fluacrypyrim	○	○	0	0.059								
Fluazifop	○	○	0	0.01								
Fluopicolide	○	○	0	0.079*		0.08	0.2		0.18			not confirmed
Flucetosulfuron	○	○	0	0.041								
Fluthiacet-methyl	○	○	0	0.001			0.001					

\*1: X cancelled, \*2: ▼ not to be detected, \*3: pesticide year 2008, \*4: if both exist, lower one, \*under discussion in Food Safety Commission and the figure is valid, ■ under discussion in FSC, □ no need to set up, ¶ impossible to set up, ♦: parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Penthiopyrad	○	○	0	0.081								
Maleic hydrazide	○	○	0	0.25	0.3	0.25	0.25		□			
Mandipropamid	○	○	0	0.05		0.05	0.05		□			
Metaflumizone	○	○	0	0.12		0.12			0.4			
Metamitron	○	○	0	0.011		0.025			0.4			
Methyl iodide	○	○	0	0.005								
Carbon dioxide	○		0			□						
1-Naphthaleneacetic acid	○	○		0.15			0.05					
D, 2,4-	○	○		0.01	0.01	0.05			0.15	□	0.8	
Isotianil	○	○		0.028								
Chlorantraniliprole	○	○		0.26		1.58			□			
Benthiocarb	○	○										
Mesotrione	○	○		0.003		0.01	0.007		0.02			
Lepimectin	○	○		0.02								
2-(1-Naphthyl)acetic acid	○						0.05					
Esfenvalerate	○			0.018	0.02	0.02	0.02		0.02	0.02		
Tetrachlovinphos	✗	○					0.04					
DDT	✗	○		0.005	0.01				□			
EPTC	✗	○		0.025			0.025					
Phosmet	✗	○			0.01	0.003	0.011		0.045	0.2		0.045
Thiabendazole	✗	○		0.1	0.1	0.1	0.1		□	0.3‡		0.1
XMC	✗	○		0.0034								
Azafenidin	✗	○				0.0004			0.0004		0.016	
Acibenzolar-S-methyl	✗	○		0.05		0.1	0.11		□		0.01	0.033
Aldrin	✗	○		0.0001	0.0001		0.00003					
Isofenphos	✗	○		0.0005	0.001		0.0005					
Inabenfide	✗	○		0.13								
Ethiofencarb	✗	○		0.1	0.1							
Ethion	✗	○		0.0005*	0.002		0.0005					
Ethoprophos	✗	○		0.00025	0.0004	0.0004	0.0001		0.01	0.05		
Etrimfos	✗	○		0.003	0.003							
Endrin	✗	○		0.0002	0.0002		0.0003					
Carbendazim	✗	○			0.03	0.02	0.08					
Quinclorac	✗	○		0.29			0.38			2		

\*1: X cancelled, \*2: ▼ not to be detected, \*3: pesticide year 2008, \*4: if both exist, lower one, \*under discussion in Food Safety Commission and the figure is valid, ■ under discussion in FSC, □ no need to set up, ¶ impossible to set up, ‡: parturient

+Public is 1

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Chlordane	x	○			0.0005		0.00006					
Chlорfenвинфос	x	○		0.0015	0.0005	0.001			0.01		0.02	
Dioxathion	x	○			0.0015							
Dichlofluanid	x	○		0.3	0.3	0.025						
Dicofol	x	○		0.025*	0.002		0.0012		0.15			
Dieldrin	x	○		0.0001	0.0001		0.00005					
Naled	x	○		■			0.002					0.01
Propaphos	x	○										
Propoxur	x	○			0.02		0.005					
DB, 2,4-		○				0.02	0.01	□				
Chlorpropham		○			0.05	0.05	0.05		0.5	0.5		2.5
Acifluorfen		○		0.01	0		0.013					0.2
Azinphos-methyl		○		0.014	0.03	0.005	0.0015		0.075	0.1	0.075	0.003
Acetochlor		○		■		0.011	0.02					
Anilazine		○			0.1		0.0004					
Avermectin		○		■	0.003	0.0025	0.00012		0		0.005	0.00025
Aminopyralid		○		0.9	0.9	0.26	0.5		0.26	□		□
Ametryn		○		0.072		0.015	0.072					
Aldicarb		○		0.001*	0.003		0.001			0.003	0.001	
Aldoxycarb		○		■								
Isoxadifen-ethyl		○		■		0.03			0.52			
Isoxaflutole		○		0.005		0.02	0.002	□				
Isoproturon		○				0.015		□				
Iprovalicarb		○		■		0.015		□				
Ivermectin		○									0.01	
Imazamethabenz-methyl		○		■			0.25					
Imazalil		○		0.025	0.03	0.025	0.025		0.05‡	0.05		0.5
Imazethapyr		○		■			0.25					
imicyafos		○		0.0005								
Ethalfluralin		○		■			0.04					
Ethoxyquin		○			0.005	0.01	0.03		0.5	0.5		
Ethoxyfen		○		0.06	0.005							
Ethofumesate		○		■		0.07	0.4	□				
Epoxiconazole		○				0.008			0.023			

\*1: X cancelled, \*2: ▼ not to be detected, \*3: pesticide year 2008, \*4: if both exist, lower one, \*under discussion in Food Safety Commission and the figure is valid, ■ under discussion in FSC, □ no need to set up, ¶ impossible to set up, ‡: parturient

‡: Public is 0.1

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Oxadixyl		○				0.05	0.11		0.5			
Oxydemeton-methyl		○		■	0.0003	0.0003	0.00013		0.0015	0.002		0.008
Oxyfluofen		○		0.03			0.03					
Omethoate		○			delete	0.0003			0.002		0.003	
Carbetamide		○				0.03						
Carboxin		○		0.008		0.01	0.008					
Carbofuran		○		■	0.002	0.001	□					0.00024
Quinoxifen		○		0.2	0.2	0.2		□	□	□		
Quintozene		○			0.01	0.01	0.01		□			
Cloquintocet-mexyl		○		■		0.04			1			
Clodinafop (-propargyl)		○		■		0.003	0.0003		0.05		0.05	
Clofencet		○		0.05								
Clomazone		○				0.043	0.043		□			
Cloransulam-methyl		○		0.05			0.1					
Chlorimuron-ethyl		○		0.09			0.090					
Chlorsulfuron		○		0.04			0.02					
Dicrotophos		○		0.000066			0.0001					
Dicloran		○		■	0.01	0.01	0.025	□	□			
Dicyclanil		○			0.007							
Cinidon-ethyl		○		0.01		0.01			□			
Diphenylamine / DPA		○			0.08		0.03		□			
Tecloftalam		○		0.058								
Triflusulfuron-methyl		○		0.024		0.04	0.024		0.9			
Pyrasulfotole		○		0.01			0.01			0.2		
Fenoxyaprop-P(-ethyl)		○		0.0028		0.01	0.0025	□				
Fenoxy carb		○				0.04	0.08					
Propargite		○		■	0.01	0.01	0.04	□	□		0.08	
Bendiocarb		○		0.0035	0.004		0.005					
Phosphorus hidride		○										
Amitrole	×	▼		0.025*	0.002	0.001		□				
Cyhexatin	×	▼		¶*	0.003		0.00075		0.02‡	‡ Public is □		
T, 2,4,5-		▼		¶	0.03							
Azocyclotin		▼		■	0.003				0.02‡	‡ Public is □		
BHC	×			0.0125								

\*1: X cancelled, \*2: ▼ not to be detected, \*3: pesticide year 2008, \*4: if both exist, lower one, \*under discussion in Food Safety Commission and the figure is valid, ■ under discussion in FSC, □ no need to set up, ¶ impossible to set up, ‡: parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Chlorobenzilate	x			0.02	0.02		0.02					
Cinmethrin	x			0.042						0.3		
Vamidothion	x			0.008	0.008							
Parathion	x			0.005	0.004	0.0006	0.00003		0.005	0.01	0.01	0.0003
Pirimicarb	x			0.018	0.02	0.035			0.1	0.1		
Hexachlorocyclohexane, $\alpha$ - ( $\alpha$ -HCH)	x				0.005	0.0025			0.006			
Hexachlorocyclohexane, $\beta$ - ( $\beta$ -HCH)	x					0.0025			0.006			
Hexachlorocyclohexane, $\gamma$ - ( $\gamma$ -HCH)	x				0.005		0.047					0.06
Methylcyclopropene, -1				¶		0.0009			0.07			
2,4,5-T butoxyethanol ester							0.01					
Butylamine				■								
TCMTB				0.012			0.004					
Aclonifen						0.01	0.013	□			0.2	
Azadirachtin A						0.09			0.2			
Abamectin (=avermectin)												
Amicarbazone										0.1		
Amidosulfuron						0.2		□				
Aminoethoxyvinylglycin				■								
Benzoic acid						5		□				
Imazapic				0.27			0.50					
Indol-3-ylacetic acid						□		□				
Ethaboxam				■								
Ethylenethiourea / ETU					0.004	0.004	0.00008		0.05			
Oxasulfuron						0.013		□				
Captafol				¶			0.002					
Carbophenothion					0.0005		0.00013					
Quizalofop						0.009			0.02			
Quizalofop-P						0.01			0.2			
Quizalofop-P-tefuryl						0.013			0.2			
Quinmerac						0.08			0.3			
Guazatine acetates					No ADI	0.008			0.056			
Glyphosate trimesium						0.2			0.25			
Crufomate					0.1							
Glufosinate-P				0.0091								

\*1: X cancelled, \*2: ▼ not to be detected, \*3: pesticide year 2008, \*4: if both exist, lower one, \*under discussion in Food Safety Commission and the figure is valid, ■ under discussion in FSC, □ no need to set up, ¶ impossible to set up, ♦: parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Clopyralid				■		0.15	0.5		□			
Chlorethoxyfos			0.00063			0.0006						
Chlorfenson					0.01							
Chloropropham			0.1									
Chlorbenside					0.01							
Chlorotoluron						0.04			□			
Acetic acid						□			□			
Methyl oxyrate				■								
Cyenopyrafen			0.05									
Cyclanilide				■		0.0075			0.015			
Cycloate				■		0.005	0.005					0.066
Cycloxydim			0.07	0.07	0.07				2			
Diclosulam			0.05									
Dichlormid			0.016									
Dichlorobenzoic acid methylester,									1			
Diclofop(-methyl)						0.001	0.002		0.1			
Didecyl dimethylammonium						0.15						
Diniconazole						0.007			0.05			
Zineb					0.03		0.05					
Dinocap				■	0.008	0.004	0.004		0.004	0.008♦	♦ Public is □	
Cypermethrin, α-					0.02	0.015			0.04	0.04		
Cyhalothrin, γ-						0.005	0.001		0.0075		0.005	
Cypermethrin, ζ-					0.02	0.05			0.12	0.04		
Cyhalothrin, λ-					0.02	0.005	0.001		0.0075	0.02		
Difenacoum						□			□			
Diphenyl					0.125							
Difenoquat			0.2									
Dimethachlor						0.1			0.5			
Dimethipin			0.02	0.02	0.02				0.2	0.2		
Dimethylvinphos			0.004									
Dimethenamid-p				0.07	0.02				0.25	0.5	0.25	
Dimoxystrobin					0.004				0.004			
Bromide ion				1					1			
Silthiofam					0.064				□			

\*1:X cancelled, \*2:▼not to be detected, \*3:pesticide year 2008, \*4:if both exist, lower one, \*under discussion in Food Safety Commission and the figure is valid, ■under discussion in FSC, □no need to set up, ¶impossible to set up, ♦:parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Spinetoram				0.024								
Spiroxamine				■		0.025			0.1		0.2	
Spirotetramat				0.12			0.05					1.0
Sulcotriione						0.0004			□			
Sulfentrazone				■			0.14				0.1	0.25
Sulfotep						0.001	0.0005					
Sulfosulfuron				■		0.24			□			
Zoxamide				0.48	0.1	0.1	0.35		□	□		
Thiazopyr				0.0072			0.008					
Thiometon				0.0011	0.003							
Thidiazuron				0.039		0.04	0.0393		□			
Tralkoxydim						0.005	0.005		0.3			
Tecnazene					0.02							
Demeton-S-methyl					0.0003							
Deltamethrin				0.01	0.01	0.01			0.01	0.05		
Terbutylazine						0.002	0.0004		0.008			
Terbufos				0.00016	0.0006		0.00005			0.002		0.0003
Tefuryltrione				0.0008								
Copper Telephthalate				0.05	0.5							
Tembotriione						0.001	0.0004		0.01			0.0008
Dodine						0.1	0.1	0.004		0.2	0.2	
Topramezone						0.004			0.005			
Doramectin											0.02	
Triadimenol				0.05	0.03	0.05	0.038		0.08	0.08		0.034
Triasulfuron						0.01	0.01		□			
Triazole, 1,2,4-					0.2					0.3		
Triazoxide						0.00005			0.015			
Triazophos				0.0012*	0.001					0.001		
Trichlamid				0.0018								
Triticonazole				■		0.025			0.05			
Tridemorph							0.01					0.02
Tritosulfuron						0.06			□			
Tribufos				0.002			0.001					0.01
Triflumuron						0.007			□			

\*1:X cancelled, \*2:▼not to be detected, \*3:pesticide year 2008, \*4:if both exist, lower one, \*under discussion in Food Safety Commission and the figure is valid, ■under discussion in FSC, □no need to set up, ¶impossible to set up, ♪parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Tribenuron(-methyl)				0.0079		0.01	0.008		0.2			
Tolylfluanid				0.036	0.08	0.1	0.026		0.25	0.5		
Silicon dioxide						□			□			
Nitrapyrin				0.03			0.03					
Nuarimol						0.025			0.1			
Norflurazon				■			0.015					0.1
Parathion-methyl				0.015*	0.003	0.001	0.0002		0.03	0.03	0.03	0.0011
Haloxyfop					0.0007	0.0007	0.00005		0.08	0.08		
Bioresmethrin				0.03	0.03							
Picloram				0.2		0.2	0.2		0.4			
Picoxystrobin						0.04			□			
Picolinafen				0.007		0.014			0.05			
Hydramethylnon				■			0.017					0.05
Hydroxyatrazine					0.04					□		
Hydroxyquinoline, 8-						0.15			0.15			
Pinoxaden				■		0.1	0.30		0.1		0.3	0.30
Bifenox				0.071		0.3	0.15		0.5			
Piperonyl butoxide					0.2	0.2	0.16		□	□		6.3
Pyrazophos					0.004	0.001			0.001			
Pyridate				0.16*	0.35	0.036	0.11		□			
Pyrifenoxy				0.1		0.09	0.01		0.5			
Pyrifluquazon				0.005								
Pyribencarb				■								
Pyrimisulfan				0.35								
Pyrimethanil				0.17	0.2	0.17	0.2		□	□	0.85	
Pyroxysulam						1			□			
Vinclozolin					0.01	0.005	0.012		0.06			0.06
Ferbam					0.003		0.015					0.014
Fenazaquin						0.005	0.05		0.1			0.1
Fenamiphos				■	0.0008	0.0008	0.0001		0.0025	0.003		0.0012
Fenpiclonil						0.0125			□			
Phenylphenol					0.4		0.39			□		
Phenoxythrin					0.07		0.007					0.03
Fenchlorphos					0.01							

\*1:X cancelled, \*2:▼not to be detected, \*3:pesticide year 2008, \*4:if both exist, lower one, \*under discussion in Food Safety Commission and the figure is valid, ■under discussion in FSC, □no need to set up, ¶impossible to set up, ♦:parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Fensulfothion				0.0003	0.0003		0.00025					
Fentin compounds				■	0.0005	0.0004			0.001			
Fenpropidin						0.02			0.05			
Fenpropimorph				■	0.003	0.003	0.032		0.2	0.2		0.15
Phthalide (=fthalide)												
Fluazuron					0.04							
Butylate				0.05			0.05					0.4
Bupirimate						0.05			1			
Fuberidazole						0.0036			0.08			
Promisulfuron-methyl				0.1								
Furilazole				■			0.0009					0.1
Fluazolate									0.016			
Fluoxastrobin						0.015	0.015		0.3			
Fluquinconazole						0.005			0.02			
Flusilazole				0.0014	0.007	0.002	0.0007		0.005	0.02		
Flurtamone						0.03			□			
Flutriafol						0.01			0.05			
Flupyralsulfuron-methyl						0.035			□			
Flufenacet						0.005	0.004		0.017			
Flufenpyr-ethyl				0.39								
Flumetsulam				■			1					
Flumethrin					0.004							
Fluridone				0.076			0.15					1.25
Fluroxypyr						0.8	0.5		□			
Flurochloridone						0.03			0.2			
Proquinazid						0.01			0.3			
Flocoumafen						□			□			
Prosulfuron						0.02	0.02		□			
Prosulfocarb				0.019		0.005			0.1		0.4	
Prothioconazole				0.011		0.05			0.2			
Prothioconazole, desthio-metab.						0.01	0.001		0.01			0.002
Brodifacoum				■								
Propaquizafop						0.015			0.06			
Propachlor				■			0.013					

\*1:X cancelled, \*2:▼not to be detected, \*3:pesticide year 2008, \*4:if both exist, lower one, \*under discussion in Food Safety Commission and the figure is valid, ■under discussion in FSC, □no need to set up, ¶impossible to set up, ♦:parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR)	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Propanil						0.03	0.009		0.2			
Propyprisulfuron				0.011								
Propylenethiourea / PTU					0.0003	0.0003			0.003	0.003		
Propoxycarbazone(-sodium)				0.43		0.4	0.748		□			
Bromuconazole						0.01	0.009					
Prometon							0.05					
Bromoxynil						0.01	0.015		0.04			
Bromopropylate				0.03								
Bromophos				0.04								
Bromophos-ethyl				0.003								
Hexazinone				0.049		0.1	0.05					
Pethoxamid						0.01			0.08			
Benalaxyl				■	0.07	0.04			□	0.1	▪ Public is □	
Benalaxyl-M						0.04			□			
Benoxacor				■			0.004					
Heptachlor					0.0001		0.0005					
Beflubutamid						0.02			□			
Pelargonic acid						□			□			
Penconazole					0.03	0.03			□			
Phoxim				■	0.004							
Phosphamidon					0.0005		0.0002					
Phosphine (Hydrogenphosphide)						0.011	0.0003		0.019			
Foramsulfuron						0.5	8.5		□			
Folpet				0.1	0.1	0.1	0.009		0.2	0.2	▪ Public is □	0.1
Phorate				■	0.0007		0.0005			0.003		0.0025
Maldison												1.5
Mecarbam					0.002							
Mesosulfuron(-methyl)						□			□			2
Methacrifos					0.006							
Metazachlor						0.032			□			
Methamidophos				0.0006	0.004	0.001	0.0003	0.003	0.003	0.01	0.003	0.003
Metam sodium						0.001	0.01		0.1			
Methiocarb				0.024	0.02	0.013	0.005		0.013	0.02	0.03	
Metiram					0.03	0.03	0.0004		□			0.01

\*1:X cancelled, \*2:▼not to be detected, \*3:pesticide year 2008, \*4:if both exist, lower one, \*under discussion in Food Safety Commission and the figure is valid, ■under discussion in FSC, □no need to set up, ¶impossible to set up, ♦:parturient

Common name	Japan			ADI (mg/kg/day)				ARfD (mg/kg/day)				
	Registered *1	Positive List *2	Shipment value (Mio US\$) *3	Japan	WHO (JMPR) *5	EC (Germany) *5	US EPA	Japan	Germany	WHO (JMPR)	Australia	US EPA
Methoxychlor					0.1		0.005					
Metosulam						0.01			0.25			
Methoprene (racemic)					0.09		0.4			□		
Methoprene, S-					0.05					□		
Metrafenone						0.25	0.25		□			
Mevinphos					0.0008		0.00025			0.003		0.001
Mefenpyr-diethyl				0.028		0.03			□			
Monocrotophos					0.0006		0.00005			0.002		
Monolinuron						0.003			□			
Iodosulfuron						0.03			□			
Lactofen				0.0079			0.008					0.5
Laminarin						□	□		□			□
Calcium phosphide						0.03			0.051			
Magnesium phosphide						0.022			0.038			
Ferric phosphate						0.8			□			
Lindane ( $\gamma$ -HCH)					0.005	0.005	0.0047		0.06	0.06		
Lecithin						□			□			
Formetanate				0.00065		0.004	0.00065		0.005			0.00065

\*1: X cancelled, \*2: ▼not to be detected, \*3:pesticide year 2008, \*4:if both exist, lower one, \*under discussion in Food Safety Commission and the figure is valid, ■under discussion in FSC, □no need to set up, ¶impossible to set up, ♦:parturient